

DUBAI & INDIA



Manufacturer of
Switch gears &
Control gears

Price List 2018

CERTIFIED BY



As per IS/IEC

A B N


MADE IN INDIA

AC & DC SWITCH-DISCONNECTOR CE RoHS



ABN Power Switch

Features

- WIDE RANGE OF 20Amps to 3200Amps
- Suitable isolation as per IS/IEC 60947
- Available DP, TP, TPN Variants
- Suitable for AC23 Duty and DC21B
- IP65 Handle with door Interlock
- Closing of Double breaking
- Fuse links available Separately
- NO contact inbuilt for ON OFF feedback



Pole chart for □□



Rated Current I _e @ 690V 50Hz	AC22A/ AC23A 690V	Poles	Order No.	Unit LP ₹	Standard Packing/ Box lot	Weight In Kgm
20A	20/20	3	ABNSD0020M03H3	1384	1No/10	0.5
20A	20/20	4	ABNSD0020M04H3	1568	1No/10	0.64
25A	25/25	3	ABNSD0025M03H3	1522	1No/10	0.5
25A	25/25	4	ABNSD0025M04H3	1614	1No/10	0.64
32A	32/32	3	ABNSD0032M03H3	1614	1No/10	0.5
32A	32/32	4	ABNSD0032M04H3	1845	1No/10	0.64
40A	40/40	3	ABNSD0040M03H3	1753	1No/10	0.5
40A	40/40	4	ABNSD0040M04H3	2076	1No/10	0.64
63A	63/63	3	ABNSD0063M03H3	2214	1No/10	0.5
63A	63/63	4	ABNSD0063M04H3	2260	1No/10	0.64
80A	80/80	3	ABNSD0080M03H3	2952	1No/10	0.5
80A	80/80	4	ABNSD0080M04H3	3321	1No/10	0.64
100A	100/100	3	ABNSD0100M03H3	4313	1No/10	0.5
100A	100/100	4	ABNSD0100M04H3	4682	1No/10	0.64
125A	125/125	3	ABNSDS0125M03H3	4613	1No/10	0.5
125A	125/125	4	ABNSDS0125M04H3	4982	1No/10	0.64
125A	125/125	3	ABNSD0125M03H3	5166	1No/10	1.82
125A	125/125	4	ABNSD0125M04H3	5535	1No/10	2.1
160A	160/160	3	ABNSD0160M□□H3	6176	1No/1	1.82
160A	160/160	4	ABNSD0160M□□H3	7718	1No/1	2.1

Note :ABNSD0160M□□H3- ---for poles placing □□ number refer chart


1Year Replacement warranty and Guaranty. (if any fault occurs without external interruption)



AC & DC SWITCH-DISCONNECTOR



ABN Power Switch Features

- Additional Axillary Contact for ON and OFF Feedback





Rated Current Ie @ 690V 50Hz	AC22A/ AC23A 690V	Poles	Order No.	Unit LP ₹	Standard Packing/ Box lot	Weight In Kgm
200A	200/200	3	ABNSD0200M□□H3	6970	1No/1	1.82
200A	200/200	4	ABNSD0200M□□H3	8750	1No/1	2.1
250A	250/250	3	ABNSD0250M□□H3	7296	1No/1	1.82
250A	250/250	4	ABNSD0250M□□H3	9119	1No/1	2.1
315A	315/315	3	ABNSD0315M□□H3	10390	1No/1	3.34
315A	315/315	4	ABNSD0315M□□H3	12990	1No/1	4.1
400A	400/400	3	ABNSD0400M□□H3	11995	1No/1	3.34
400A	400/400	4	ABNSD0400M□□H3	14995	1No/1	4.1
630A	630/630	3	ABNSD0630M□□H3	19755	1No/1	7
630A	630/630	4	ABNSD0630M□□H3	24690	1No/1	8.5
800A	800/800	3	ABNSD0800M□□H3	23990	1No/1	7
800A	800/800	4	ABNSD0800M□□H3	29985	1No/1	8.5
1000A	1000/1000	3	ABNSD1000M□□H3	28435	1No/1	15.5
1000A	1000/1000	4	ABNSD1000M□□H3	35540	1No/1	19
1250A	1250/1250	3	ABNSD1250M□□H3	39400	1No/1	15.5
1250A	1250/1250	4	ABNSD1250M□□H3	49250	1No/1	19
1600A	1600/1600	3	ABNSD1600M□□H3	47645	1No/1	18.6
1600A	1600/1600	4	ABNSD1600M□□H3	59550	1No/1	23.6
2000A	2000/2000	3	ABNSD2000M□□H3	82100	1No/1	37
2000A	2000/2000	4	ABNSD2000M□□H3	102630	1No/1	45
2500A	2500/2500	3	ABNSD2500M□□H3	96865	1No/1	37
2500A	2500/2500	4	ABNSD2500M□□H3	118125	1No/1	45
3200A	3200/3200	3	ABNSD3200M□□H3	126000	1No/1	37
3200A	3200/3200	4	ABNSD32s00M□□H3	157500	1No/1	45

DC Connections:



1NO





2.External Shaft

Range	dia	length	Price ₹
125A	6mm	240mm	Upon Request
250A	6mm	260mm	Upon Request
400A	12m m	235mm	Upon Request
800A- 1600A	12m m	325mm	Upon Request

4.Axillary contact

Range	NO	NC	Price ₹
upto 125A	1	1	Upon Request
Upto 1600A	2	2	Upon Request

5.Handle

Range	size	length	Price ₹
125A	90X90	-----	Upon Request
250A	90X90	65mm	Upon Request
400A	90X90	95mm	Upon Request
800A	90X90	125mm	Upon Request
1250A	90X90	275mm	Upon Request
1600A	90X90	275mm	Upon Request

For any extra pole needed Price will be Changes based on the Rating.

All dimensions should be in mile meter.

ABN



www.roveelectricindia.com



ROVE Electric Pvt Ltd

DUBAI
P.O.Box 33647
Dubai,
U.A.E.

INDIA
SF No: 193/1B Uzhaippalar Street,
Udayampalayam Road, Vellakinar Village,
Coimbatore-641029.

Email : sales@roveelectric.co.in
Mobile : +91 7397000793